

# **PARACETAMOL**

## **AEKNIL DROPS**

Pediatric Oral Drops

150 mg/ml

### **PRODUCT DESCRIPTION**

Pink colored clear solution, sweet to taste.

### **FORMULATION**

Each ml contains

Paracetamol I.P.....150 mg

Nonsyrupy base.....q.s.

Colour Carmoisine

### **CLINICAL PHARMACOLOGY**

Paracetamol is a clinically proven analgesic and antipyretic. It produces analgesia by elevation of the pain threshold and antipyresis through action on the hypothalamic heat regulating centers. Paracetamol may act predominantly by inhibiting prostaglandin synthesis in the central nervous system and to a lesser extent through a peripheral action by blocking pain impulse generation. The peripheral action may also be due to inhibition of prostaglandin synthesis or inhibition of the synthesis or actions of other substances that sensitize pain receptors to mechanical or chemical stimulation.

Paracetamol produces antipyresis by acting centrally on the hypothalamic heat-regulating center to produce peripheral vasodilation resulting in increased blood flow through the skin, sweating and heat loss. The central action probably involves inhibition of prostaglandin synthesis in the hypothalamus.

### **Pharmacokinetics**

Paracetamol is distributed throughout most body tissues. About 25% of Paracetamol in blood is bound to plasma proteins. The plasma half-life is 1.25 to 3 hours but may be increased by liver damage and following overdose. Paracetamol is metabolized in the liver. About 85% of a dose of Paracetamol is excreted in urine as free and conjugated Paracetamol within 24 hours.

### **INDICATIONS**

Pyrexia of unknown origin, fever and pain, associated with common childhood disorders, tonsillitis, upper respiratory tract infection, post-immunization reactions, post operative fever, after tonsillectomy and other conditions, where patient is unable to take oral medications but where Paracetamol can be administered with advantage for prevention of febrile convulsion, headache, cold, sinusitis, muscle pain, arthritis and toothache. NOTE: Specific therapy with antibiotics or chemotherapeutic drugs of choice should be carried out whenever indicated.

### **DOSAGE AND ADMINISTRATION**

Children: 10 to 20 drops (equivalent to 0.5 to 1.0 ml) every 4 to 6 hours or as directed by the physician.

## **CONTRAINDICATIONS**

Hypersensitivity to Paracetamol. Repeated administration is contraindicated in patients with anemia, cardiac, pulmonary, renal, and hepatic disease.

## **ADVERSE REACTIONS**

Paracetamol has rarely been found to produce any side effects in therapeutic doses and is usually well tolerated by aspirin sensitive patients. Toxicity may result from a single toxic dose of the drug or from chronic ingestion. The following adverse reactions have been reported: skin eruption, haematological toxicity.

## **INTERACTIONS WITH OTHER MEDICINES**

Paracetamol may enhance the activity of coumarin anticoagulants, but its effect is not generally of clinical significance.

## **OVERDOSE AND TREATMENT**

Symptoms of overdosage may include nausea, vomiting, abdominal pain, diaphoresis, generalized weakness & lethargy. If an overdose of Paracetamol is suspected, blood should be withdrawn immediately for Paracetamol plasma assay, without regard to the presence or absence of symptomatology. The acute hepatotoxicity, nephrotoxicity of paracetamol can be overcome by the administration of sulfhydryl donors, e.g, N-acetyl cysteine which should be given as soon as possible after ingestion. Treatment after 12 hours is not effective. Paracetamol overdose should be treated with gastric lavage if the patient is seen within 24 hours of ingestion of the drug.

## **STORAGE CONDITIONS**

Store in a cool, dry place at temperatures not exceeding 25°C, away from light.

## **CAUTION**

Do not take any Paracetamol containing medicines concurrently.

## **SHELF LIFE**

3 years

## **PACK PRESENTATION**

15 ml glass bottle with dropper. 450 ml bottle hospital pack.

## **Manufactured by**

THERAPEUTIC PHARMACEUTICALS

951, Marathe Udyog Bhavan,  
A.M Marg, Prabhadevi, Mumbai 400025,  
Maharashtra State, INDIA

## **Date of Revision of Package Insert**

March 2016